### **FORM PTO-1449**

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

	·
ATTY.	DOCKET NO.
659944	-100001

SERIAL NO. 10/767,402

APPLICANT:

Jou, Ming-Jiunn et al.

FILING DATE: January 29, 2004

GROUP: 2879 2815

	U.S. PATENT DOCUMENTS							
EXAM INIT		REF. NO.	DOCUMENT NUMBER	ISSUE DATE	NAME	CLASS	SUB CLASS	FILING DATE
60		A	3,889,286	06/10/75	Debesis	357/67		12/26/73
		В	4,570,172	02/11/86	Henry et al.	357/17		12/19/83
		С	4,680,602	07/14/87	Watanabe et al.	357/17		09/06/84
,		D	4,775,876	10/04/88	Moyer	357/17		09/08/87
		E	4,864,369	09/05/89	Snyder et al.	357/17		09/05/89
		F	4,918,497	04/17/90	Edmond	. 357/17		12/14/88
		G	5,048,035	09/10/91	Sugawara et al.	372/45		05/29/90
		Н	5,138,404	08/11/92	Ishikawa et al.	357/16		05/31/91
		1	5,164,798	11/17/92	Huang	257/97	· .	07/05/91
•		J	5,233,204	08/03/93	Fletcher et al.	257/13		01/10/92
		К	5,300,791	04/05/94	Chen et al.	257/94		09/29/92
		L	5,359,209	10/25/94	Huang	257/94		12/09/93
		M .	5,376,580	12/27/94	Kish et al.	437/127		03/19/93
		N	5,481,122	01/02/96	Jou et al.	257/9		07/25/94
		0	5,661,742	08/26/97	Huang et al.	372/46		05/22/96
		P	Re 35,665	11/18/97	Lin et al.	257/94		07/25/96
		Q	5,717,226	02/10/98	Lee et al.	257/86		09/18/96
		R	5,789,768	08/04/98	Lee et al.	257/96		06/23/97
		S	5,869,849	02/09/99	Jou et al.	257/96		10/05/95
	1	Т	5,917,201	06/29/99	Ming-Jiunnn et al.	257/94		09/04/97
2	01	U	6,057,562	05/02/00	Lee et al.	257/96		04/18/97

**EXAMINER:** Yet unassigned

DATE CONSIDERED:

6-20-05

EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant

## FORM PTO-1449

## LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

ATTY. DOCKET NO. 659944-100001	SERIAL NO. 10/767,402
APPLICANT: Jou, Ming-Jiunn et al.	
FILING DATE: January 29, 2004	GROUP: 2879-2813

S	v	6,066,862	05/23/00	Chang et al.	257/103		08/31/98
	w	6,169,294 B1	01/02/01	Biing-Jye et al.	257/79	/	09/08/98
	Х	6,225,648 B1	05/01/01	Hsieh et al.	257/95	$\perp$	07/09/99
	Y	6,552,367 B1	04/22/03	Hsieh et al.	257/94		10/06/00
20	z						

			FOREIGN PATEN	T DOCUMENTS				
EXAMINER INITIAL	REF.	DOCUMENT NUMBER	PUBLICATION/ ISSUE DATE	COUNTRY OR PATENT OFFICE	CLASS	SUB CLASS	TRANSLA' YES	TION NO
ES	AA	EPO 0 328 134 A2	02/10/89	EPO				/
. (	AB	EPO 0 328 393 A2	02/09/89	EPO				
	AC	EPO 0 333 418 A2	03/14/89	ЕРО				
	AD	EPO 0 334 637 A2	03/22/89	EPO				
	AE	EPO 0 434 233 A1	11/23/90	EPO				ļ
l	AF.	EPO 0 434 233 B1	11/23/90	EPO .				
CN	AG	DE 198 17 368 A1	12/24/98	Germany		<u></u>		

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
2	'n	AH	Woodall, J.M. et al., "Liquid Phase Epitaxial Growth of Ga <sub>1-z</sub> A1 <sub>z</sub> As <sup>1</sup> ," J. Electrochem Soc., <u>116(6)</u> , 899- 903			
		AI	Nuese, C.J. et al., "Optimization of Electroluminescent Efficiencies for Vapor-Grown GaAs <sub>1-z</sub> P <sub>z</sub> Diodes," J. Electrochem Soc., 116(2), 248-253, 1969			
		AJ	Chawla, B. et al., "Transition Region Capacitance of Diffused p-n Junctions," <i>IEE Transactions On Electron Devices</i> , 18(3) (1971)			
		AK	Dierschke, L.E. et al., "Efficient Electroluminescence from Zinc-Diffused Ga <sub>1-x</sub> A1 <sub>x</sub> As Diodes at 25°C, Applied Phys. 19(4), 98-100 (1971)			
	Ĺ	AL	Nuese, C.J. et al., "Órange Laser Emission and Bright Electroluminescence from In <sub>1-x</sub> Ga <sub>x</sub> P Vapor-Grown p-n Junctions, Appl. Phys. Lett., 20(11), 431-433 (1972)			
a	1	AM	Berenbaum, L, "Effect of Oxygen on the Electromigration Behaviour of Al Thin Films, Appl. Phys. Lett., 20(11), 434 (1972)			

EXAMINER:	0	DATE CONSIDERED:	1	20-45		
Yet unassigned	0	·	<u> </u>	3-30-00	<i></i>	
					*	

EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant

## ATTY. DOCKET NO. 659944-100001 10/767,402 LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) ATTY. DOCKET NO. 659944-100001 10/767,402 APPLICANT: Jou, Ming-Jiunn et al. FILING DATE: January 29, 2004 2879

Nuese, C.J., "The Preparation and Properties of Vapor-Grown In <sub>1-x</sub> Ga <sub>x</sub> P, Metallurgical Transactions, 2, 789-794 (1971)  Hart, P.B., "Green and Yellow Emitting Devices in Vapor-Grown Gallium Phosphide," Proceedings of the IEEE, 61(7), 880-883 (1973)  Kaneko, K. et al., "A New Method of Growing GaP Crystals for Light-Emitting Diodes," Proceedings of the IEEE, 61(7), 884 (1973)  AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(6), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> A1 <sub>x</sub> A <sub>x</sub> Grown Injunctions," IEEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors ,Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP M
Hart, P.B., "Green and Yellow Emitting Devices in Vapor-Grown Gallium Phosphide," Proceedings of the IEEE, 61(7), 880-883 (1973)  Kaneko, K. et al., "A New Method of Growing GaP Crystals for Light-Emitting Diodes," Proceedings of the IEEE, 61(7), 884 (1973)  AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga1, Al, As light-emitting," J. Appl. Phys., 46(6), 486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga1, AI, As Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AO the IEEE, 61(7), 880-883 (1973)  Kaneko, K. et al., "A New Method of Growing GaP Crystals for Light-Emitting Diodes," Proceedings of the IEEE, 61(7), 884 (1973)  AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga1, Al, As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga1, AI, As Grown Injunctions," IEE Trans El. Dev. ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Kaneko, K. et al., "A New Method of Growing GaP Crystals for Light-Emitting Diodes," Proceedings of the IEEE, 61(7), 884 (1973)  AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> Al <sub>-x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> Al <sub>x</sub> A <sub>5</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AP of the IEEE, 61(7), 884 (1973)  AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," AT J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> A1 <sub>x</sub> A <sub>5</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AQ Bergh et al., "Light Emitting Diodes, 1976 (Oxford University Press, Oxford)  Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> As Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Nuese, C.J., "III-V Alloys For Optoelectronic Applications," Journal of Electronic Materials, 6(3), 253-293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> As Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AR 293 (1976)  Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> Al <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," AT J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>5</sub> Grown Injunctions," IEE Trans El. Dev. ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-AZ 1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Dawson, L.R., "High-efficiency graded-gand-gap Ga <sub>1-x</sub> A1 <sub>x</sub> As light-emitting," J. Appl. Phys., 46(6), 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>3</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AS 2486-2492 (1977)  Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions," AT J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>3</sub> Grown Injunctions," IEE Trans El. Dev. ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Nishizawa, J. et al., "Minority-carrier lifetime measurements of efficient GaAIAs p-n heterojunctions,"  J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev. ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AT J. Appl. Phys., 46(8), 3484-3495 (1977)  Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AIGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Ishiguro, H. et al., "High efficient GaAIs light-emitting diodes of 660 nm with a double heterostructure on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> As Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AU on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AU on a GaAIAs substrate," Appl. Phys. Lett. 43(11), 1034-1036 (1983)  Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Kurata K. et al., "An Exprimental Study on Improvement of Performance for Hemispherically Shaped High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> A <sub>S</sub> Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AV High-Power IRED's with Ga <sub>1-x</sub> AI <sub>x</sub> AS Grown Injunctions," IEE Trans El. Dev, ED-28(4) 374-379 (1981)  Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Pilkuhn, M.H., "Light Emitting Diodes," 1981, Handbook on Semiconductors, Vol. 4 eds. T.S. Moss and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AW and C. Hilsum (North Holland Publishing Company, New York)  AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AX Chopra, K.L. et al., "Transparent Conductors - A Status Review," Thin Solid Films 102, 1-46 (1983)  Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Hing, I. et al., "High aluminum Composition AlGaInP Grown by Metalorganic Chemical Vapor Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Deposition - Impurity Doping and 590 nm (Orange) Electroluminiscence, Japanese Journal of Applied  AY  Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380- 1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AY Physics 23(9) 746-748 (1984)  Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AIGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Yuan J.S. et al., "Organometallic vapor phase epitaxial growth of AlGaInP," J. Appl. Phys. 57(4), 1380-1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
AZ 1383 (1985)  Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
BA Watanabe, M. et al., "Interface properties for GaAs/InGaAIP heterojunctions by the capacitance-voltage profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
BA profiling technique," Appl. Phys. Lett 50(14), 906-908 (1987)  Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
Tanaka et al., "Room Temperature Operation Of MBE-Grown InGaP/InGaAIP MOW Visible Laser
) 1 BB 1 1 HOURS EJECTFORIC LEUPES 12.141
DD Diodes, Dictional Develop, 22(1)
BC Bontemps, A. et al., "Laser annealing of Bi-implanted ZnTe," Appl. Phys. Lett. 36(7), 542-544 (1960)
Kuo, C.P. et al., "High performance AiGaInP visible light-emitting diodes," Appl. Phys. Lett, 57(27),
BD 2937-2939 (1990)
BE Gillessen, K. et al., "Light Emitting Diodes," Prentice/Hall International
Kuo, C.P. et al., "Stimulated Emission in In0.5(AI <sub>x</sub> Ga <sub>1-x</sub> ) <sub>0.5</sub> P Quantum Well Heterostructures," Journal
BF of Crystal Growth 93, 389-395 (1988)
Konagai, M. et al., "Metallilc p-TYPE GaAs And GaAl As Grown By Metalorganic Molecular Beam
BG Epitaxy," Journal of Crystal Growth 98, 167-173 (1989)
Duen Ho, F., "Space-charge layer capacitance and offset voltage of an exponential-constant p-n
BH junction," Int. J. Electronics, 70(2), 327-342 (1991)
Fletcher, R.M. et al., "The Growth and Properties of High Performance AIGaInP Emitters using a
BI Lattice Mismatched GaP Window Layer," Journal of Electronic Materials, 26(12), 1125-1130 (1991)
EXAMINER: DATE CONSIDERED:
EXAMINER:  Yet unassigned  DATE CONSIDERED:  6-20-05
Yet unassigned  DATE CONSIDERED:  6-2005  EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP

# FORM PTO-1449 LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) ATTY. DOCKET NO. 659944-100001 10/767,402 APPLICANT: Jou, Ming-Jium et al. FILING DATE: January 29, 2004 2879 BY SERIAL NO. 659944-100001 10/767,402 APPLICANT: Jou, Ming-Jium et al. FILING DATE: January 29, 2004

5/1		Domen K., et al., "Study on radiative efficiency in AlGaInP/GaInP double-heterostructures: influence of
$\mathcal{O}I$	BJ	deep level in cladding layers," Journal of Crystal Growth, 115 529-532 (1991)
1		
	BK	Chen, T.P. et al., "AIGaInP green light emitting diode," SPIE 1813 136-141 (1992)
1		Huang et al, "Twofold efficiency improvement in high performance AIGaInP light-emitting diodes in
- 1		the 555-620 nm spectral region using a thick GaP window layer," Appl. Phys. Lett. 61(9), 1045-1047
	BL	(1992)
		Gunshot, R.L. et al., "The molecular beam epitaxial growth of wide gap II-VI injection lasers and light-
l l	BM	emitting diodes," Thin Solid Films 231, 190-196 (1993)
		Lin, J.F. et al., "Growth of GaP window layer on AIGaInP light-emitting diodes using misoriented
-{	BN	substrates," Crystal Growth
		Chi, G.C. et al., "Window layer for current spreading in AlGainP light-emitting diode," J. Appl. Phys.
1	ВО	76(5), 2600-2611 (1994)
	100	Chang, S.J., "AIGaInP Yellow-Green Light-Emitting Diodes with a Tensile Strain Barrier Cladding
1	BP	Layer"
	101	
1.	BQ	Coldren, L.A. et al., "Diode Lasers and Photonic Integrated Circuits," John Wiley & Sons, Inc. (1995)-
		Chang, S.J., et al., "AIGaInP/GaP Light-Emitting Diodes Fabricated by Wafer Direct Bonding
	BR	Technology," Jpn. J. Appl. Phys 35(5), 4199-4202 (1996)
-	-	Ta+-
		gare, M.V. et al., "Heavy Be doping of GaP and InxGa <sub>1-x</sub> P," J. Vac. Sci Technol. B. 14(2), 2325-2326
1	BS	(1996)
	100	Tagare, M.V. et al., "Nonalloyed ohmic contacts to heavily Be-doped GaP and In <sub>x</sub> Ga <sub>1-x</sub> P," Appl Phys.
	вт	Lett. 68(24), 2485-2487 (1996)
	D1.	Yang, J.W., "InGaN-GaN based light-emitting diodes over (111) spinel substrates," Appl. Phys. Lett.
1	BU	69(3), 369-370 (1996)
	ВО	<u> </u>
	BV	Chang, S.J. et al., "AIGaInP multiquantum well light-emitting diodes," IEE 144(6), 405-409 (1997)
	-	Chang, S.J. et al., "AIGaInP-GaInP Compressively Strained Mutiquantum-Well Light-Emitting Diodes
	BW	For Polymer Fiber Application," <i>IEE Photonics Technology</i> 16(4), 713-715 (1996)
	= ''-	Fundamentals of Semiconductor Physics and Devices, World Scientific Publishing Co., Pte. Ltd. (1997),
	BX	pp. 38-41
<del></del>	12/1	Stringfellow, G.B. and Craford, eds., "High Brightness Light Emitting Diodes," Semiconductors and
	BY	Semimetals, Academic Press (1997)
	101	Morgan, D.V., "Annealing effects on opto-electronic properties of sputtered and thermally evaporated
	BZ	indium-tin-oxide films," Thin Solid Films 312, 268-272 (1998)
-	BL	Qingke, Z., "Manufacture of AIGaInP Visible Light-Emitting Diodes By MOCVD & VPE," 42(4), 993-
	CA	995 (1994)
	CA	Chang, S.J. et al., "650 nm AIGaInP/GaInP Compressively Strained Multi-Quantum Well Light
	CD	
	CB	Emitting Diodes," Jpn. J. Appl. Phys. 37, 653-655 (1998)
١,	000	Chang, C.S. et al., "AIGaInP/GaInP multiquantum well light emitting diodes with an intentionally doped
V AA	CC	active layer," Dept. of Electrical Engineering, National Cheng Kung University
TY	CD	Civil Docket For Case No. 4:02-cv-05077-CW, pp. 1-69 (2004)
A 1.2155807v1	100	CIVIL DOCACLI OF CASC 110. 1.02-04-05077-011, pp. 1-07 (2004)

LAI-2155807v1

EXAMINER:
Yet unassigned

DATE CONSIDERED: 6-20-05

EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant